

US EPA ARCHIVE DOCUMENT

**EPA Technical Publications**  
**SERDP Project CU-368**  
**Compiled 7/21/04**

**Peer-Reviewed Papers**

Alter, S. R., M.L. Brusseau, J.J. Piatt, A. Ray-Maitra, J.M. Wang, and R.B. Cain. (2003). "Use of Tracer Tests to Evaluate the Impact of Enhanced-Solubilization Flushing on In-Situ Biodegradation." *Journal of Contaminant Hydrology*, 64(3-4): 191-202.

Annable, M. D., P.S.C. Rao, K. Hatfield, W.D. Graham, A.L. Wood and C.G. Enfield. (1998). "Partitioning Tracers for Measuring Residual NAPL: Field-Scale Test Results." *Journal of Environmental Engineering*, 124(6): 498-503.

Annable, M. D., J.W. Jawitz, P.S.C. Rao, D.P. Dai, H. Kim and A.L. Wood. (1998). "Field Evaluation of Interfacial and Partitioning Tracers for Characterization of Effective NAPL-Water Contact Areas." *Ground Water*, 36(3): 495-502.

Brooks M.C., M.D. Annable, P.S.C. Rao, K. Hatfield, J.W. Jawitz, W.R. Wise, A.L. Wood and C.G. Enfield. (2004). "Controlled release, blind test of DNAPL remediation by ethanol flushing." *Journal of Contaminant Hydrology*, 69(3-4): 281-297.

Brooks M.C., M.D. Annable, P.S.C. Rao, K. Hatfield, J.W. Jawitz, W.R. Wise, A.L. Wood and C.G. Enfield. (2002). "Controlled release, blind tests of DNAPL characterization using partitioning tracers." *Journal of Contaminant Hydrology*, 59: 187-210.

Brusseau, M. L., N. T. Nelson, and M.S. Costanza-Robinson, (2003). "Partitioning Tracer Tests for Characterizing immiscible-Fluid Saturations and Interfacial Areas in the Vadose Zone." *Vadose Zone Journal*, 2: 138-147.

Cain, R.B., G. Johnson, W.J. Blanford, and M.L. Brusseau. (2000). "Partitioning Tracer Tests for Evaluating Remediation Performance." *Ground Water*, 38(5) 752-761.

Clark, C. J., M.D. Annable and P.S.C. Rao. (2000). "Evaluation of Sonochemical Destruction of PCE in In-Situ Flushing Waste Fluids." *Journal of Environmental Engineering*, Vol. 126: 1033-1038.

Cheng, H and D.A. Sabatini. (2002). "Simultaneous Removal of Anionic Surfactants and Micellar-Solubilized Contaminants Using Anion-Exchange Resin." *Water Research*, 36: 2062-2076.

Cheng, H. and D.A. Sabatini (2001). "Reverse-Micellar Extraction for Micellar-Solubilized Contaminant and Surfactant Removal." *Separation and Purification Technology*, 24: 437-449.

Cheng, H., D.A. Sabatini and T.C. Kibbey. (2001). "Solvent Extraction for Separating Micellar-Solubilized Contaminants and Anionic Surfactants." *Environmental Science and Technology*, 35 (14): 2995-3001.

Clark, C.J.I., M.D. Annable, P.S.C. Rao and R.D. Rhue. (1999). "Waste Management of a Microemulsion using Electrolyte Addition at Increased Temperatures." *Environmental Engineering Science*, 16 (3): 217-227.

El-Beshry, Manar A., John S. Gierke and Philip B. Bedient. (2001). "Practical Modeling of SVE Performance at a Jet-Fuel Spill Site." *Journal of Environmental Engineering*, 127: 630-638.

Falta, R.W. (1998). "Using Phase Diagrams to Predict the Performance of Co-solvent Floods for NAPL Remediation." *Ground Water Monitoring and Remediation*, 18(3):94-102.

Falta, R.W., C.M. Lee, S.E. Brame, E. Roeder, J.T. Coates, C. Wright, A.L. Wood and C.G. Enfield. (1999). "Field Test of High Molecular Weight Alcohol Flushing for Subsurface Nonaqueous Phase Liquid Remediation." *Water Resources Research*, 35(7): 2095-2108.

Gierke, J.S., D.L. Sanders, and D.L. Perram. (1999). "Laboratory Testing of Partitioning Tracer Tests for Determining NAPL Volumes in Aquifers." *Water Environment Research*, 71(4): 465-474.

Hamed, M.M., P.D. Nelson and P.B. Bedient. (2000). "A Distributed Model for Non-Equilibrium Dissolution of Multi-Component Residually Trapped NAPL." *Environmental Modeling and Software*, 15: 443-450.

Harwell, J.H., D.A. Sabatini, and R.C. Knox. (1999). "Surfactants in Ground Water Remediation." *Colloids and Surfaces A. Physicochemical and Engineering Aspects*, 151: 255-268.

Hayden, N.J., M.C. Brooks, M.D. Annable and H. Zhou. (2001). "Alcohol Recovery From Alcohol/Chlorinated Solvent Mixtures Using Activated Carbon." *Journal of Environmental Engineering*, 127 (12): 1116-1123.

Heron, G., T.H. Christensen and C.G. Enfield (1998). "Henry's Law Constant for Trichloroethylene between 10 and 95°C." *Environmental Science and Technology*, 32(10): 1433-1437.

Heron, G., J.S. Gierke, B. Faulkner, S. Mravik, L. Wood and C.G. Enfield. (2002). "Pulsed Air Sparging in Aquifers Contaminated with Dense Non-Aqueous Phase Liquids." *Ground Water Monitoring and Remediation*, 22(4): 73-82.

Heron, G., M. Van Zutphen, T.H. Christensen and C.G. Enfield. (1998). "Soil Heating for Enhanced Remediation of Chlorinated Solvents: A Laboratory Study on Resistive Heating and Vapor Extraction in a Silty, Low Permeable Soil Contaminated with Trichloroethylene." *Environmental Science and Technology*, 32:1474-1481.

Holder, A.W., P.B. Bedient and J.B. Hughes. (1999). "Modeling the Impact of Oxygen Reaeration on Natural Attenuation." *Bioremediation Journal*, 3 (2):137-149.

James, Andrew I, Wendy D. Graham, Kirk Hatfield, P.S.C. Rao, and Michael D. Annable. (2000). "Estimation of Spatially Variable Residual Nonaqueous Phase Liquid Saturations in Non-uniform Flow Fields Using Partitioning Tracer Data." *Water Resources Research*, 36, (4): 999-1012.

James, A.I., W.D. Graham, K. Hatfield, P.S.C. Rao, and M.D. Annable. (1997). "Optimal Estimation of Residual Non-Aqueous Phase Liquid Saturations Using Partitioning Tracer Concentration Data." *Water Resources Research*, 33 (12) 2621-2636.

Jawitz, J.W., M.D. Annable, P.S.C. Rao and R.D. Rhue. (2001). "Evaluation of Remediation Performance and Cost for Field-Scale Single-Phase Microemulsion (SPME) Flushing." *Journal of Environmental Science and Health, Part A*, 36 (8): 1437-1450.

Jawitz, J.W., M.D. Annable, P.S.C. Rao and R.D. Rhue. (1998). "Field Implementation of a Winsor Type I Surfactant/Alcohol Mixture for In Situ Solubilization of a Complex LNAPL as a Single-Phase Microemulsion." *Environmental Science and Technology*, 32 (4): 523-530.

Jawitz, J.W., M.D. Annable and P.S.C. Rao. (1998). "Miscible Fluid Displacement Stability in Unconfined Porous Media: Two Dimensional Flow Experiments and Simulations." *Journal of Contaminant Hydrology*, 31 (3-4): 211-230.

Jeong, Seung-Woo, A. Lynn Wood and Tony R. Lee. (2002). "Enhanced Contact of Cosolvent and DNAPL in Porous Media by Concurrent Injection of Cosolvent and Air." *Environmental Science & Technology*, 36:5238-5244.

Jeong, Seung-Woo, A. Lynn Wood and Tony R. Lee. (2002). "Effects of pure and dyed PCE on physical and interfacial properties of remedial solutions." *Journal of Hazardous Materials*, 95: 125-135.

Jeong, Seung-Woo, A. Lynn Wood and Tony R. Lee. (2003). "Enhanced removal of DNAPL trapped in porous media using simultaneous injection of cosolvent with air: Influencing factors and removal mechanisms." *Journal of Hazardous Materials*, B101:109-122.

Ji, W. and M.L. Brusseau. (1998). "A General Mathematical Model for Chemically-Enhanced Flushing of Soil Contaminated by Organic Compounds." *Water Resources Research*, 34(7): 1635-1648.

Johnson, G.R., K. Gupta, D. Putz, D.K. Hu, and M.L. Brusseau. (2003). "The Effect of Local-Scale Physical Heterogeneity and Non-Linear, Rate-Limited Sorption/Desorption on Contaminant Transport in Porous Media." *Journal of Contaminant Hydrology*, 64(1-2): 35-58.

- Ladaa, T.I., C.M. Lee, J.T. Coates, and R.W. Falta. (2001). "Cosolvent Effects of Alcohols on the Henry's Law Constant and Aqueous Solubility of Tetrachloroethylene (PCE)." *Chemosphere*, 44 (5) 1137-1143.
- Lee, C.M., S.L. Meyers, C.L. Wright, J.T. Coates, P.A. Haskell and R.W. Falta. (1998). "NAPL Compositional Changes Influence Partitioning Coefficients." *Environmental Science and Technology*, 32 (22): 3574-3578.
- Lien, B.K. and C G. Enfield. (1998). "Delineation of Subsurface Hydrocarbon Contaminant Distribution Using A Direct Push Resistivity Method." *Journal of Environmental and Engineering Geophysics*, 2(3): 173-179.
- McCray, J. E. and M.L. Brusseau. (1998). "Cyclodextrin-Enhanced In-Situ Flushing of Multiple-Component Immiscible Organic-Liquid Contamination at the Field Scale: Mass Removal Effectiveness." *Environmental Science Technology*, 32, (9): 1285-1293.
- McCray, J. E. and M.L. Brusseau. (1999). "Cyclodextrin-Enhanced In-Situ Flushing of Multiple-Component Immiscible Organic-Liquid Contamination at the Field Scale: Mass Transfer Phenomena." *Environmental Science and Technology*, 33 (1): 89-95.
- McCray, J. E., T. Boving and M. Brusseau. (2000). "Cyclodextrin-Enhanced Solubilization of Hydrophobic Organic Compounds with Implications for Aquifer Remediation." *Ground Water Monitoring and Remediation*, 20 (1): 94-103.
- Rao, P.S C., M.D. Annable, R.K. Sillan, D. Dai, K. Hatfield, W.D. Graham, A.L. Wood and C.G. Enfield. (1997). "Field-Scale Evaluation of In Situ Cosolvent Flushing for Enhanced Aquifer Remediation." *Water Resources Research*, 33 (12): 2673-2686.
- Rao, P.S.C., Michael D. Annable, and Heonki Kim. (2000). "NAPL Source Zone Characterization and Remediation Technology Performance Assessment: Recent Developments and Applications of Tracer Techniques." *Journal of Contaminant Hydrology*, Vol. 45: 63-78.
- Rhue, R.D., P.S.C. Rao, and M.D. Annable. (1999). "Single-Phase Microemulsification of a Complex Light –Nonaqueous-Phase Liquid: Laboratory Evaluation of Several Mixtures of Surfactant/Alcohol Solutions." *Journal of Environmental Quality*, 28, (4): 1135-1144.
- Roeder, E., R.W. Falta, C.M. Lee, and J.T. Coates. (2001). "DNAPL to LNAPL Transitions During Horizontal Co-solvent Flooding." *Ground Water Monitoring and Remediation*, 21(1):77-88.
- Roeder, E. and R.W. Falta. (2001). "Modeling Unstable Alcohol Flooding of DNAPL-Contaminated Columns." *Advances in Water Resources*, 24 (7): 803-819.
- Sabatini, D. A., J. H. Harwell and R.C. Knox. (1998). "Surfactant Selection Criteria for Enhanced Subsurface Remediation: Laboratory and Field Observations." *Progress in Colloid and Polymer Science*, 111:168-173.

Sabatini, D., J. Harwell, M. Hasegawa and R. Knox. (1998). "Membrane Processes and Surfactant-Enhanced Subsurface Remediation: Results of a Field Demonstration." *Journal of Membrane Science*, 151(1): 87-98.

Sabatini, D.A., R.C. Knox, J.H. Harwell and B. Wu. (2000). "Integrated Design of Surfactant Enhanced DNAPL Remediation: Effective Supersolubilization and Gradient Systems." *Journal of Contaminant Hydrology*, Vol. 45(1): 99-121.

Sandrin, S. K., Brusseau, M. L., Piatt, J. J., Bodour, A. A., Blanford, W. P., and Nelson, N. T. (2004) Characterizing Spatial Variability of In-situ Microbial Activity: Biotracer Tests. *Ground Water*, 42(3), 374-383.

Saripalli, K.P., M.D. Annable, and P.S.C. Rao. (1997). "Estimation of Nonaqueous Phase Liquid-Water Interfacial Areas in Porous Media Following Mobilization by Chemical Flooding." *Environmental Science and Technology*, 31(12): 3384-3388.

Shiau, B. J., D.A. Sabatini, and J.H. Harwell. (2000). "Removal of Chlorinated Solvents in Subsurface Media Using Edible Surfactants: Column Studies." *Journal of Environmental Engineering – ASCE*, 126(7): 611-621.

Sillan, R. K., M.D. Annable, P.S.C. Rao, D. Dai, K. Hatfield, W.D. Graham, A.L. Wood and C.G. Enfield. (1998). "Evaluation of In Situ Cosolvent Flushing Dynamics Using a Network of Spatially-Distributed Multi-Level Samplers." *Water Resources Research*, Vol. 34(9): 2191-2202.

Tick, G.R., F. Lourenso, A.L. Wood and M.L. Brusseau. (2003). "Pilot-scale demonstration of cyclodextrin as a solubility-enhancement agent for remediation of a tetrachloroethene-contaminated aquifer." *Environmental Science & Technology*, 37(24): 5829-5834.

Uchiyama, H., E. Acosta, S. Tran, D.A. Sabatini and J.H. Harwell. (2000). "Supersolubilization in Chlorinated Hydrocarbon Microemulsions: Supersolubilization Enhancement by Lipophilic and Hydrophilic Linkers." *Industrial and Engineering Chemistry Research*, 39(8):2704-2708.

Wise, W.R., D.Dai, E. A Fitzpatrick, L.W. Evans, P.S.C. Rao, and M. D. Annable. (1999). "NAPL Characterization Via Partitioning Tracer Tests: A Modified Langmuir Relation to Describe Partitioning Nonlinearities." *Journal of Contaminant Hydrology*, 36 (1-2): 153-165.

Wise, W.R. (1999). "NAPL Characterization Via Partitioning Tracer Tests: Quantifying Effects of Partitioning Nonlinearities." *Journal of Contaminant Hydrology*, 36 (1-2), 167-183.

Wu, B., B.J. Shiah, D.A. Sabatini, J.H. Harwell and D.Q. Vu. (2000). "Formulating Microemulsion Systems for a Weathered Jet Fuel Waste Using Surfactant/Cosurfactant Mixtures." *Separation Science and Technology*, 35(12): 1917-1937.

Wu, B. and D. Sabatini. (2000). "Using Partitioning Alcohol Tracers to Estimate Hydrophobicity of High Molecular Weight LNAPLs." *Environmental Science and Technology*, 34(22): 4701-4707.

## Technical Reports

Aho, R. S. (1996). "Batch Laboratory Measurements of Bioventing/Biosparging Remediation of a Sandy Soil Contaminated with Chlorinated and Petroleum Hydrocarbons." Master of Science, Michigan Technological University.

Balaji, R. (1997). "Two-Dimensional SPME Flushing Experiments in Support of the Field Implementation Phase of the Study." M.E. Project Report. Environmental Engineering Sciences, University of Florida: 40.

Bastasch, M. (1996). "Evaluation of Slug Tests in a Bounded, Phreatic, Sand and Gravel Aquifer." Rice University, Houston, TX: 108 p.

Bouma, S. (1996). "Temporal Moment Analysis of Nonreactive Tracer Transport in a Forced-Gradient Field Test at the Hill AFB Site." M.E. Project Report, University of Florida: 147.

Brooks, M.C., M.D. Annable and P.S.C. Rao (2001). "Tracer Techniques for DNAPL Source Delineation and In-Situ Flushing Techniques for Enhanced Source Removal. Pilot Scale Demonstrations at the Dover National Test Site." Final Report Armstrong Laboratory Contract No. F08637-97-C-6018. Tyndall Air Force Base, FL.

Brooks, M.C., (2000). "Characterization and Remediation of a Controlled DNAPL Release: Field Study and Uncertainty Analysis." Ph.D. Dissertation, Department of Environmental Engineering Sciences, University of Florida. Gainesville, Florida, December. 147 pp.

Brusseau, M.L. and G.R. Tick. (2004). "Pilot-Scale Demonstration of Cyclodextrin as a Solubility-Enhancement Agent for Remediation of a Tetrachloroethene Contaminated Aquifer." Dover Air Force Base, Delaware. Draft EPA report. 33 p.

Carter, T. (1997). "Enhancement of the Solubilization Potential of the Dowfax Surfactants." Master of Science Thesis, University of Oklahoma.

Cheng, H. (2000). "Contaminant and Anionic Surfactant Separation Using Solvent Extraction and Anion Exchange." Master of Science Thesis, University of Oklahoma.

C3 Environmental (1996). "Waterloo Barrier<sup>TM</sup> System Sheet Pile and Sealant Installation Report Dover Air Force Base, Dover Delaware." QA/QC Report prepared for Work Assignment WA-03-SE-101, EPA Contract 68-C3-0322.

Enfield, C. G., A. L. Wood, T.J. McHale and J.L. Seeley (1997). "Work Plan for NETTS Technology Demonstrations, Dover Air Force Base, DE."

Fishman, M. (1999). "Summary of DNAPL Movement in the Heterogeneous Subsurface at Dover SERDP Test Site." Work Assignment WA-4-RA-1 Report, EPA Contract No. 68-C4-0031. Dynamac Corporation, Rockville, MD.

Falta, R., C. Lee, S. Brame, J. Coates and J. Myers. 2003. "Field evaluation of cosolvent-enhanced in-situ remediation." Final Report, EPA Cooperative Agreement No. CR-821992-01.

Gierke, J.S., D.A. Taege, D.L. Perram and N.J. Hutzler . (2000). "Estimation of Tetrachloroethylene (PCE) Removal by Air Sparging in Test Cell I at the Groundwater Remediation Field Laboratory (GRFL), Dover National Test Site (DNTS), Dover Air Force Base (DAFB), Delaware." (PDF) (7 pp, xx Kb) Publication No. EPA Interim Report.

Gierke, J.S., D.A. Taege, D.L. Perram and N.J. Hutzler. (2002) "Design Guidance for Air Sparging of Dense Nonaqueous Phase Liquids (Tetrachloroethylene, PCE) in Unconsolidated Geological Environments (Coastal Plain Aquifer)." **Draft** Final Report, EPA Cooperative Agreement No. CR-825697-01.

Gildea M.L.; W.L. Bratton; L.D. Stewart. (1997). "Demonstration of Steam Injection as an Enhanced Source Removal Technology for Aquifer Restoration." Technical Report. U.S. Air Force Research Laboratory Contract No. F08635-93-C-0020. Tyndall Air Force Base, FL.

USEPA. Hamed, Maged M. and Philip B. Bedient. (1999). "Reliability-Based Uncertainty Analysis of Groundwater Contaminant Transport and Remediation". (PDF) (71 pp, xx Kb) Publication No. EPA/600/R-99/028.

Haskell, P. A. (1997). "Use of Surrogate Compounds to Monitor Non-Aqueous Phase Liquid Removal During a Cosolvent Flood." Master of Science, Clemson University.

Helms, A. D. (1996). "Moment Estimates for Imperfect Breakthrough Data: Theory and Application to a Field-Scale Partitioning Tracer Experiments." Civil Engineering Department, University of Florida: 187.

Hornberger, J.P. (2000). "Laboratory Studies of Cosolvent Flooding for the Removal of DNAPLs." Master of Science Thesis, Clemson University.

INTERA, Inc., the Center for Petroleum Geosystems Engineering, and the University of Texas (1997). "The Analysis of Two Partitioning Interwell Tracer Tests conducted by Applied Research Associates, Inc. at Hill AFB OU1 using the Method of Moments and Inverse Modeling." Technical Report, Contract No. F0863795D6002. Armstrong Laboratories, Tyndall Air Force Base, FL.

Jawitz, J. (1995). "Unstable Miscible Displacements in Unconfined Porous Media: Implications on the Efficiency of In-Situ Flushing Aquifer Remediation." Environmental Engineering Sciences, University of Florida: 88.

Jawitz, J. W., R.D. Rhue, et al. (1997). "Laboratory and Field Evaluation of Single-Phase Microemulsions (SPME) for Enhanced In-Situ Remediation of Contaminated Aquifers: Final Report."

Johnson, G. (1996). "Solvent Flushing of a LNAPL Contaminated Soil: Comparison of Two Cosolvent Mixtures and the Effects of Weathered Contamination on Cosolvent Flushing Efficiency." Environmental Engineering Sciences, University of Florida: 170.

McHale, T.J. (1997). "Cell Assembly – Dover Air Force Base." Final Internal Report, WA-03-SE-101, EPA Contract 68-C3-0322.

Martin, J.D. (1998). "Quantitative Analysis of Nonaqueous Phase Liquid Trapping Using Etched Glass Micromodels." Master of Science Thesis, Clemson University.

Meyers, S.L. (1997). "The Effect of Cosolvent Flooding on NAPL Composition and Partition Coefficients of Tracers Used in Partitioning Interwell Tracer Tests." Master of Science Thesis, Clemson University. 122 p.

Micolet, D. (2000). "Hydraulic Design of Cosolvent Flooding Systems for NAPL Remediation." Master of Science Thesis, Clemson University.

Muraski, J.M. (1997). "In Situ and Laboratory Measurements of Biodegradation Rate Constants for a Sandy-Gravel Soil Contaminated with Petroleum and Chlorinated Hydrocarbons." Master of Science, Michigan Technological University.

Nelson, Paul D. (1997). "A Distributed Site Model for Non-Equilibrium Dissolution of Multi-Component Residually Trapped NAPL in a Column Test." A thesis submitted in partial fulfillment of the requirements for the degree of Master of Science, Rice University, Houston, TX.

(1995). "Phase I Work Plan for Eight Treatability Studies at Operable Unit I, Hill Air Force Base, Utah."

(1996). "Phase II Work Plan for Eight Treatability Studies at Operable Unit I, Hill Air Force Base, Utah."

Pope, G.A., K. Sepehrnoori, M. Delshad, B. Rouse, V. Dwarakanath, M. Jin, A. Abubakar and M.H. Lim. (1996). "NAPL Partitioning Interwell Tracer Test in OU1 Test Cell at Hill Air Force Base, Utah." Final Report, Work Assignment WA-00-SE-102, EPA Contract #68-C3-0322.

Price, S. W. (1997). "Selection of a Cosolvent Flooding Solution for Removal of a Multicomponent LNAPL at Operable Unit One, Hill Air Force Base, Utah." Master of Science, Clemson University.

Puranik, S. (1997). "Inline Gas Chromatographic Tracer Analysis: An Alternative to Conventional Sampling & Laboratory Analysis in Determination of Non-Aqueous Phase Liquid (NAPL) Residual Saturation and Remediation Performance." Environmental Engineering Sciences, University of Florida.

Roeder, E. (1998). "Phase Density Modifications for the Remediation of DNAPLs by Cosolvent Flooding Utilizing Separate Phase Mobilization." PhD Dissertation, Clemson University.

Rohrbach, D. (1997). "Automated Valve Switching Mechanism for Multi-Well/Multi-Level Sampling." Student Project Report, University of Florida: 28.

Sanders, D.L. (1997). "Laboratory Studies of Aqueous Partitioning Tracer Tests for Measuring NAPL Volumes." Master of Science, Michigan Technological University.

Shiau, B.J. (1995). "Subsurface Remediation of Chlorinated Solvents Using Direct Food Additive Surfactants." PhD Dissertation, University of Oklahoma.

Sillan, R.K., M.D. Annable, P.S.C. Rao (Eds.) (1998). "In Situ Cosolvent Flushing for Enhanced Solubilization of a Complex NAPL: Comprehensive Field-Scale Evaluation." Final Report, EPA Cooperative Agreement No. CR-821990.

Sorerens, T.S. (1995). "Dissolution of Nonaqueous Phase Liquids in Porous Media: Mass Transfer in Aqueous and Surfactant Systems." PhD Dissertation, University of Oklahoma.

Venner, J. (1996). Using Temporal Moment Analysis of Partitioning Tracers for Characterizing Heterogeneous Nonaqueous Phase Liquid Distribution in an Aquifer, University of Florida: 30.

Wojick, C.L. (1998). "Comparison of Field Methods for Assessing the Performance of Air Sparging/Soil Vapor Extraction." Ph.D. Dissertation. Michigan Technological University.

US EPA. Wood, A.L. and C.G. Enfield. (1999). "In Situ Enhanced Source Removal." Publication No. EPA-600/C-99/002.

Wood, A.L. and C.G. Enfield (1999). "Cosolvent Solubilization Demonstration in Test Cell 3, Ground Water Remediation Field Laboratory, Dover Air Force Base, Delaware." Interim Report.

Wood, A.L. and C.G. Enfield (2000). "Air Sparging/Soil Vapor Extraction Demonstration in Test Cell 2, Dover National Test Site, Dover Air Force Base, Delaware." Interim Report.

Wood, A.L. and C.G. Enfield. (2000). Interim Report on Pilot-Scale Evaluation of DNAPL Extraction Technologies. U.S. EPA, NRMRL, SPRD, EPA Product #EPA/600/X-01/002.

Wood, A.L. and C.G. Enfield (2001). "Surfactant Solubilization Demonstration in Test Cell 3, Dover National Test Site, Dover Air Force Base, Delaware." Interim Report.

Wood, A.L. and C.G. Enfield (2004). "Field Evaluation of Enhanced DNAPL Source Removal." Final Technical Report, SERDP Project CU-368.

Wright, C.L.J. (1996). "The Effect of Cosolvent Flooding on NAPL/Water Partition Coefficients." Master of Science Thesis, Clemson University.

Wu, B. (1996). "Formulation of Petroleum Microemulsion Systems for Surfactant-Enhanced In Situ Subsurface Remediation." Master of Science Thesis, University of Oklahoma.

### **Published Technical Abstracts and Presentations**

Annable, M.D., C.G. Enfield, A.L. Wood and P.S.C. Rao. (1999). "DNAPL Source Characterization at a Controlled Release Site." Waterloo Solvents Conference, University of Waterloo.

Bedient, Philip B., Anthony W. Holder, Carl G. Enfield and A. Lynn Wood (1999). "Site Characterization for Enhanced Remediation Demonstrations at Hill Air Force Base." Proceedings, Field Testing of Innovative Subsurface Remediation Technologies, San Francisco, CA.

Bedient, P.B., A.W. Holder, et al. (1999). "Modeling Natural Attenuation via Diffusive Oxygen Reaeration." Fifth International Symposium on In Situ and On-Site Bioremediation, San Diego, CA.

Blanford, W.J., E.J. Klingel, et al. (1997). "Evaluation of an In-Well Aeration System to Remediate a Groundwater Contamination Site." Proceedings, the 213th American Chemical Society National Meeting, Division of Environmental Chemistry Preprints of Extended Abstracts 37 (1): 231-233.

Brooks, M.C., M.D. Annable, P.S.C. Rao, K. Hatfield, W.R. Wise, A.L. Wood and C.G. Enfield (1999). "A Pilot-Scale Demonstration of DNAPL Remediation by Cosolvent Flushing." American Geophysical Union Spring Meeting, Boston, MA.

Brooks, M.C., C.J. Martinez, and W.R. Wise (2001). "Estimating Errors during Moment Analysis of Breakthrough Curves: Theory and Example." *World Water & Environmental Resources Congress*, Orlando, Florida, May 20-24.

Brooks, M.C., W.R. Wise, M.D. Annable, W.D. Graham, and P.S.C. Rao (2000). "General Methods for Estimating Uncertainty in Trapezoidal Rule-Based Moment Analysis of Breakthrough Curves." *2000 Fall Meeting of the American Geophysical Union*, San Francisco, California, December 15-19.

Brooks, M.C., M.D. Annable, P.S.C. Rao, K. Hatfield, W.R. Wise, A.L. Wood, and C.G. Enfield (1999). "A Field-Scale Demonstration of DNAPL Remediation by Cosolvent Flushing: Comparison of Remediation Success Measures. *1999 Theis Conference, Remediation of Subsurface Contaminants: The Meaning and Measures of Success*, Amelia Island, Florida, November 12-15.

Brusseau, M.L., J.E. McCray, et al. (1995). "Use of Cyclodextrin for Ground Water Remediation of Nonaqueous Phase Liquids." Abstracts of Papers, 209th American Chemical Society National Meeting, New Orleans, LA.

Brusseau, M.L. (1996). "Using Cyclodextrin for In-Situ Remediation of Petroleum Contamination." Presentation, the American Chemical Society National Meeting, Environmental Chemistry Division, New Orleans, LA.

Brusseau, M.L. (1998). "The Use of Cyclodextrin for Subsurface Remediation." Presentation, the American Geophysical Union National Meeting, San Francisco, CA.

Brusseau, M.L., J.E. McCray, et al. (1997). "Field Test of Cyclodextrin-Enhanced Flushing of an Aquifer Contaminated with Multicomponent Immiscible Organic Liquid: Mass Removal." American Geophysical Union National Meeting, 78 (46), F290.

Brusseau, M.L., J. Piatt, M. Hu, and J. Wang. (1997). "The Use of Biotracers for Measuring Biodegradation Potential in the Subsurface." Proceedings, the American Chemical Society National Meetings, Environmental Chemistry Division, San Francisco, CA 37 (1), 260.

Bryan, K.D. and M.L. Brusseau (1997). "A Field Study of the Effectiveness of the Use of Pulsed Pump and Treat on a Complex NAPL Mixture." Proceedings, the 213th American Chemical Society National Meeting, Division of Environmental Chemistry Preprints San Francisco, CA, 37 (1) 260.

Cain, R.B. and M.L. Brusseau (1997). "Assessment of the Use of Partitioning Tracers in an LNAPL-Contaminated Aquifer." Proceedings, the 213th American Chemical Society National Meeting, Division of Environmental Chemistry Preprints of Extended Abstracts 37 (1), 253.

Cain, R.B. and M.L. Brusseau. (1997). "An Evaluation of the Partitioning Tracer Method for Quantification of Remediation Efficiencies." EOS Trans. American Geophysical Union National Meeting, Baltimore, MD 78(46), F223.

Enfield, C. (1995). "Tracers detect aquifer contamination." Ground Water Currents, Issue No. 12.

Enfield, C. (1997). "Removal of residual DNAPL from porous media by alcohol flushing: Experimental results." American Geophysical Union Spring Meeting.

Enfield, C.G. and A.L. Wood (1997). "Comparison of Alternative Aquifer Remediation Techniques." International Conference on Environmental Engineering, Korea.

Enfield, C.G. and A.L. Wood. (1998). "Lessons Learned at Hill AFB OU1, An LNAPL Site." Annual SERDP Symposium, Washington, D.C.

Enfield, C.G. (1999). "Endpoint Assessment: Impacts of Partial Source Removal." What?, Abiotic In-Situ Technologies for Groundwater Remediation, Dallas, TX.

Enfield, C.G., A.L. Wood, M. Annable and P.S. Rao (1999). "Delineation of PCE at a Controlled Release Site." American Geophysical Union Spring Meeting, Boston, MA.

Enfield, C.G. (2001). "Source Reduction by Flushing." DNAPL Source Remediation Workshop, Dallas, TX, October 29-30.

Enfield, Carl G., Bob K. Lien, A. Lynn Wood. (2001). "Effect of Non-Target Organics on Organic Chemical Transport." In: Humic Substances and Chemical Contaminants." C.E. Clapp, M.H.B. Hayes, N. Senesi, P.R. Bloom and P.M. Jardine, Editors. Soil Science Society of America, Madison, WI. 471-487.

Enfield, C., L. Wood, M. Brooks, and M. Annable. (2001). "Interpreting Tracer Data to Forecast Remedial Performance." Proceedings: Groundwater Quality 2001. Edited by S. Thornton and S. Oswald, 119-121.

Falta, R.W., C.M. Lee, et al. (1996). "A Field Test of NAPL Mobilization and Removal by Cosolvent Injection." I&EC Special Symposium, American Chemical Society, Atlanta, GA, November 12-14. R.W. Tedder: 1107-1108.

Falta, R.W., S.E. Brame, et al. (1997). "A Field Test of LNAPL Remediation by Tert-Butanol Injection." Division of Environmental Chemistry, Preprints of Extended Abstracts 37(1).

Falta, R.W. (1999). "Design of Multicomponent Cosolvent Flooding Solutions for NAPL Remediation." Invited Presentation, the Annual Meeting of the Geological Society of America, Denver, CO, October 25-29.

Falta, R.W. (1999). "Co-solvent Flooding for NAPL Remediation." Invited Presentation, the US EPA Conference on Abiotic In-Situ Technologies for Groundwater Remediation, Dallas, TX, August 31-Sept. 2.

Falta, R.W., C.M. Lee, E. Roeder, S.E. Brame, and H. Schweninger. (1999). "Mobilization and Removal of Separate Phase Chlorinated Solvents as LNAPLs Using Neutrally Buoyant Alcohol Flooding Solutions." Invited Presentation, the 1999 Spring Meeting of the American Geophysical Union, Boston, MA, June 1-4.

Falta, R.W., E. Roeder, C. Lee, S. Brame, H. Schweninger, J. Coates, T. Ladaa, J. Meyers, J. Martin, J. Pace, and D. Micolet. (1999). "Coupled Chemical Transport and Fluid Flow During Alcohol Flooding for DNAPL Remediation." Presentation, the International Symposium on Dynamics of Fluids in Fractured Rocks." Berkeley, CA, February 10-12.

Falta, R.W. (2001). "Effects of Heterogeneity and NAPL Distribution on Off-Site Flux." DNAPL Source Remediation Workshop, Dallas, TX, October 29-30.

Fishman, M., C. Enfield, and L. Wood (1998). "Flushing of residual PCE by IPA alcohol: 2-D experiments result. First International Conference on Remediation of Chlorinated and Recalcitrant Compounds." Monterey, CA. May 18-21.

Gierke, J., C.L. Wojick, et al. (1998). "Air Sparging in a NAPL-Contaminated, Sandy-Gravel Aquifer." International Conference and Special Seminars on Groundwater Quality: Remediation and Protection, University of Tübingen, Tübingen, Germany, September 20 -25.

Harwell, J.H., D.A. Sabatini, et al. (1997). "AATDF Demonstrations: Surfactant Recovery." Research Technologies Development Forum, In Situ Flushing Action Team, Hill AFB, UT, May 8-9.

Harwell, J.H., D.A. Sabatini, et al. (1997). "Processes and Concepts for Optimizing the Economics of Surfactant-Enhanced Remediation." ACS Fifth Chemical Congress of North America, Cancun, Mexico, November 11-15.

Haskell, P.A., J.T. Coates and R.W. Falta. (1996). "The Use of Surrogate Compounds to Monitor NAPL Removal from a Contaminated Soil During a Co-solvent Flood." Presentation, the 211<sup>th</sup> ACS National Meeting, New Orleans, LA, March 24-28. In Preprints of Papers, American Chemical Society, 231-233.

Hayden, N.J., H. Zhou, M.D. Annable, and M.C. Brooks (1999). "Alcohol Recovery from Alcohol/Water/Chlorinated Solvent Mixtures Using Activated Carbon." *1999 Spring Meeting of the American Geophysical Union*, Boston, Massachusetts, June 1-4.

Heron, G., C.G. Enfield, S. Mravik, L. Wood. (1997). "Harmless surrogate chemical for field studies of dense non-aqueous phase liquids in soils and groundwater." American Geophysical Union Spring Meeting.

Holder, A.W., P.B. Bedient, et al. (1998). "A Method for Analysis and Visualization of Three-Dimensional Tracer Test Results." International Conference and Special Workshops on Groundwater Quality: Remediation and Protection, Tübingen, Germany.

Jeong, S.W., A.L. Wood and T.R. Lee. (2000). "A DNAPL Remediation Strategy to Improve Sweep Efficiency of Co-solvent Flooding." American Geophysical Union 2000 Fall Meeting, Dec. 15-19, San Francisco, CA. EOS Preprints of Extended Abstracts, Vol 81, F-450, Nov. 28, 2000.

Jeong, S-W, A.L. Wood and Tony R. Lee. (2001). "Enhanced Source Removal of Nonaqueous Phase Liquid Contaminants by Chemical-Based Flooding." Korean Society of Environmental Engineers Spring Meeting, May 11-12, Seoul, Korea.

Jeong, S-W, A.L. Wood and Tony R. Lee. (2001) "Microscopic Observation and Quantification of Enhanced DNAPL Removal by Co-solvent Air Flooding." the 222<sup>nd</sup> American Chemical Society National Meeting, Division of Industrial and Engineering Chemistry, Emerging Technologies: Hazardous Waste Management, August, Chicago, IL.

Ji, W., M.L. Brusseau, et al. (1997). "Modeling of Cyclodextrin-Enhanced Remediation of a NAPL-Contaminated Aquifer." Preprints of Extended Abstracts, 37 (1): 251-253, 213th American Chemical Society National Meeting, Division of Environmental Chemistry, San Francisco, CA., April 13-17.

Knox, R.C., D.A. Sabatini, et al. (1996). "Ground Water Remediation by Solubilization." Annual Meeting of the Institute for Applied Surfactant Research, University of Oklahoma, Norman, OK, November 21.

Knox, R.C., D.A. Sabatini, et al. (1996). "Surfactant Enhanced Subsurface Remediation - A Field Demonstration." Third Annual Petroleum Environmental Conference, Albuquerque, NM, September 24-27.

Knox, R.C., D.A. Sabatini, et al. (1996). "Surfactant Enhanced Solubilization of Mixed NAPL Wastes: A Case Study - Emerging Technologies in Hazardous Waste Management VIII." ACS Industrial and Environmental Chemistry Division Meeting, Birmingham, AL, September 9-12.

Knox, R.C., D.A. Sabatini, et al. (1997). "Long-Term Implications of Chemical Extractants Used for Subsurface Remediation." 17th Annual Meeting of the International Association for Impact Assessment, New Orleans, LA, May 28-31.

Knox, R.C., D.A. Sabatini, et al. (1997). "SERDP Enhanced Source Removal: Surfactant Solubilization." RTDF In-Situ Flushing Action Team Meeting, Hill Air Force Base, UT, May 8-9.

Knox, R.C., D.A. Sabatini, et al. (1997). "Surfactant-Enhanced Remediation of Mixed NAPL Wastes: Solubilization versus Mobilization." ACS Fifth Chemical Congress of North America, Cancun, Mexico, November 11-15.

Knox, R.C., D.A. Sabatini, et al. (1998). "Enhanced Contaminant Extraction." Surfactant Workshop, University of Stuttgart, Stuttgart, DE, March 11.

Knox, R.C., D.A. Sabatini, et al. (1998). "Surfactant-Enhanced Subsurface Remediation at Hill AFB." University of Tubingen, Tubingen, DE, March 14.

Knox, R.C., D.A. Sabatini, M. Goodspeed, M. Hasegawa, L. Chen. (1998). "Hydraulic Considerations for Advanced Subsurface Characterization and Remediation Technologies." :

Proceedings of Groundwater Quality 1998, Conference – Universitaet Tuebingen, Germany, September 23.

Knox, R.C., D.A. Sabatini, J.H. Harwell, M. Hasegawa, and L. Boettcher. (1998). “Surfactant Enhanced Remediation of Hydrocarbons – 3 Field Demonstrations.” The 5th International Petroleum Environmental Conference. Albuquerque, NM, October 10-23.

Knox, R.C., A. Thal, et al. (1998). “Hydraulic Considerations for Advanced Subsurface Characterization and Remediation Technologies.” International Conference and Special Seminars on Groundwater Quality: Remediation and Protection, Tubingen, Germany, September.

Lourenso, F.J. and M.L. Brusseau. (2001). “Use of Biotracer Tests to Evaluate the Feasibility of In-situ Bioremediation.” Presentation, the American Geophysical Union National Meeting, San Francisco, CA, December 10-14.

McCray, J.E. and M.L. Brusseau (1997). “Field Test of Cyclodextrin for Remediation of a NAPL-Contaminated Aquifer.” Preprints of Extended Abstracts 37 (1): 225-226, 213th American Chemical Society National Meeting, Division of Environmental Chemistry, San Francisco, CA., April 13-17.

McCray, J. E. and M. L. Brusseau. (1997). “Field Test of Cyclodextrin-Enhanced Flushing of Aquifer Contaminated with Multicomponent Immiscible Organic Liquid: Mass Transfer Characteristics.” 78 (46), F290, EOS Trans. American Geophysical Union National Meeting, May 27-30.

McCray, J.E. and M.L. Brusseau. (1998). “Mass Transfer Behavior During Field Scale Flushing of a Multiple Component NAPL.” Presentation, the American Geophysical Union National Meeting, San Francisco, CA, Dec. 6-10.

Meyers, S.L., C.L. Wright, et al. (1997). “Effect of Co-Solvent Flooding on Partitioning Tracer Behavior.” Preprints of Extended Abstracts 37(1): 249-250, Division of Environmental Chemistry.

Oppelt, T. (1996). “U.S. EPA Advances in In-Place Remediation of Hazardous Waste Sites.” Pacific Basin Consortium on Hazardous Waste Management Conference.

Rao, P.S.C., M.D. Annable, et al. (1997). “Innovative Technologies for Site Characterization and Enhanced Remediation of NAPL Source Areas: Field-Scale Testing at Hill AFB, Utah.” Presentation, EPA-GWRTAC Conference on Innovative Groundwater Remediation Technologies, Philadelphia, PA.

Rhue, R.D., M.D. Annable, et al. (1997). “Laboratory and Field Evaluation of Single-Phase Microemulsions (SPME) for Enhanced In-Situ Remediation of Contaminated Aquifers, Phase I: Laboratory Studies for Selection of SPME Precursors.” DOD/AATDF, Rice University, Houston, TX.

Roeder, E., S.E. Brame, et al. (1995). "Numerical Simulation of Field Scale Cosolvent Flooding for LNAPL Remediation." I&EC Special Symposium, American Chemical Society, Atlanta, GA, September 17-20.

Roeder, E., S.E. Brame, et al. (1996). "Swelling of DNAPL by Cosolvent Flooding to Allow Its Removal as an LNAPL." Preprints of Extended Abstracts: 1109-1111, NAPLS in Subsurface Environment. L. N. Reddi. New York, ASCE. November 12-14.

Stinson, J.A., C.G. Enfield, A.L. Wood. (1995). "Comparative Assessment of In Situ Contaminant Extraction Technologies." I&EC Special Symposium, American Chemical Society, Atlanta, GA., September 17-20.

Sabatini, D.A., J.H. Harwell, R.C. Knox and M. Hasegawa. (2000). "Source Zone Removal Using Surfactants." Seventh Annual International Petroleum Environmental Conference Albuquerque, NM, Nov. 7 - 10,.

Sabatini, D.A., R.C. Knox, et al. (1996). "Surfactant Enhanced NAPL Remediation: From the Laboratory to the Field." International Workshop on Soil and Aquifer Pollution - Non-Aqueous Phase Liquids - Contamination and Reclamation, Technion, Israel Institute of Technology, Haifa, Israel, Dec. 13-15.

Sabatini, D.A., J.H. Harwell, et al. (1997). "Surfactant Enhanced Subsurface Remediation: Laboratory and Field Observations." The University of Strasbourg, Dec. 19, Strasbourg, France.

Sabatini, D.A., R.C. Knox, et al. (1997). "Surfactant-Enhanced Subsurface Remediation: Laboratory and Field Observations." Robert S. Kerr Environmental Research Laboratory, Ada, OK, July 31..

Sabatini, D.A., J.H. Harwell, et al. (1997). "SERDP Enhanced Source Removal: Surfactant Solubilization." RTDF In-Situ Flushing Action Team Meeting, Hill Air Force Base, UT, May 8-9.

Sabatini, D.A., J.H. Harwell, et al. (1997). "Surfactant Selection Criteria for Enhanced Subsurface Remediation: Laboratory and Field Observations." German Colloid Chemistry Society Meeting, University Essen, DE, October 2.

Sabatini, D.A., J.H. Harwell, et al. (1997). "Surfactant-Enhanced In Situ Ground Water Remediation." Separations Technology VII: Separations for Clean Production, Engineering Foundation Conference, Davos, Switzerland, October 26-31.

Sabatini, D.A., J.H. Harwell, et al. (1998). "Surfactant Selection for Enhanced Contamination Removal." International Conference and Special Seminars on Groundwater Quality: Remediation and Protection, September, Tubingen, Germany..

Sabatini, D.A., J.H. Harwell, R.C. Knox and M. Hasegawa. (1999). "Surfactant-Enhanced Subsurface Remediation: Extraction Efficiency and Surfactant Reuse." Invited Presentation, EPA Workshop: Innovative Clean-up Approaches: Investments in Technology Development, Results and Outlook for the Future, Bloomingdale, IL, November 2-4.

Sabatini, D.A., J. H. Harwell, R.C. Knox and M. Hasegawa (1999) "Surfactant-Enhanced Remediation of Petroleum Contaminated Media: Technical and Economical Considerations." Invited Presentation, Sixth Annual International Petroleum Environmental Conference, Houston, TX, Nov. 16-18.

Sabatini, D.A., J.H. Harwell, R.C. Knox and M. Hasegawa. (2000). "Source Zone Removal Using Surfactants." Seventh Annual International Petroleum Environmental Conference, Albuquerque, NM, November 7-10.

Shiau, B.J., B. Wu, et al. (1996)."Use of Surfactants for Aquifer Remediation of Petroleum Wastes." Third Annual Petroleum Environmental Conference, September 24-27, Albuquerque, NM.

Shiau, B. J., B. Wu, et al. (1996). "Use of Surfactants for Aquifer Remediation of Petroleum Wastes." Emerging Technologies in Hazardous Waste Management VIII ACS Industrial and Environmental Chemistry Division Meeting, Birmingham, AL, September 9-12.

Shiau, B.J., R.C. Knox, et al. (1997). "Surfactant-Enhanced Solubilization of Mixed NAPL Wastes at Hill AFB: A Case Study." 213 ACS National Meeting, April 13-17, San Francisco, CA.

Shiau, B.J., R.C. Knox, et al. (1997). "Surfactant-Enhanced Mobilization of Mixed NAPL Wastes at Hill AFB: A Case Study." 213th ACS National Meeting, San Francisco, CA, April 13-17.

Shiau, B.J., R.C. Knox, et al. (1997). "Surfactant-Enhanced Solubilization for Remediation of Subsurface NAPL Contamination at Hill AFB, Utah."

Shiau, B.J., H K. Karapanagioti, et al. (1997). "Solubilization and Mobilization of Mixed NAPL Wastes Using Surfactants." Emerging Technologies in Hazardous Waste Management IX, Pittsburgh, PA, September 15-17.

Sillan, R. K., J. W. Jawitz, M.D. Annable and P.S.C. Rao. (1998). "Influence of Hydrodynamic and Contaminant Spatial Variability on In Situ Flushing Effectiveness and Efficiency." International Conference and Special Seminars on Groundwater Quality: Remediation and Protection, International Association of Hydrologic Sciences, Tubingen, Germany, September 21-25.

Tick, G.R and M.L. Brusseau. (2001). "TCE Dissolution and the Effect of Length Scales on Dissolution Rates." Presentation, American Geophysical Union National Meeting, San Francisco, CA, December 10-14.

Wise, W.R., M.D. Annable, J.W. Jawitz, and L.W. Evans. (1999). "Issues involved with applying partitioning tracers to characterize in-situ NAPL." Proceedings, International Water Resources Engineering Conference, CD-ROM, Seattle, Washington, August 8-11, American Society of Civil Engineers.

Wood, A.L., C.G. Enfield, M. Annable, P.S.C. Rao (1995) "Demonstration of Enhanced Source Removal for Aquifer Restoration." Proceedings 1995 SERDP Symposium, Clean-Up 30, April 12-14.

Wood, A.L. (1998). "In-Situ Flushing/Surfactants." What, EPA Forum, Salt Lake City, Utah, September 10-13.

Wood, A.L. (1998). "Characterization and Remediation of NAPL Source Zones." OSWER Briefing, Washington, D.C.

Wood, A.L., C.G. Enfield, et al. (1998). "NAPL Extraction From A Contaminated Aquifer: Field Evaluation of Alternatives." International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, California, May 18-21.

Wood, A. L. (1999). "Enhanced In-Situ Flushing: An Overview." Abiotic In-Situ Technologies for Groundwater Remediation, Dallas, TX.

Wood, A. L. (1999). "Enhanced Source Removal Using In-Situ Chemical Flushing." International Environmental Technology Expo '99, Atlantic City, NJ.

Wood, A.L., C.G. Enfield and T.J. McHale. (1999). "Strategy for DNAPL Release Within a Confined Test Cell." American Geophysical Union Spring Meeting, Boston, MA.

Wood, A.L. (2001). "ORD Objectives and Perspectives." DNAPL Source Remediation Workshop, Dallas, TX, October 29-30.

Wood, A.L. (2002). Enhanced Source Removal Using In-Situ Chemical Flushing. 2002 Resource Conservation and Recovery Act (RCRA) National Meeting, January 15-18, Washington, D.C.

Wood, A.L., R. Falta (2003) SERDP and NRMRL Sponsor Field Test of Cosolvent-Enhanced DNAPL Removal. Technology News and Trends, Issue 6. p. 2-3.

## Conference/Symposium Proceedings Papers

Annable, M.D., P.S.C. Rao, K. Hatfield, W.D. Graham and A.L. Wood. (1994). "Use of Partitioning Tracers for Measuring Residual NAPL Distribution in a Contaminated Aquifer: Preliminary Results from a Field-Scale Test." In: Proceedings the 2nd Tracer Workshop, University of Texas, Austin, TX, November 14-15. pp. 77-85.

Annable, M.D., J.W. Jawitz and P.S.C. Rao. (1996). "Field-Scale Test of Interfacial and Partitioning Tracers for Characterizing NAPL-Water Contact Area and Residual Saturation in Contaminated Aquifers: Preliminary Analysis of Results." In: Proceedings 2nd Annual Symposium on Energy & the Environment, Rice University, Houston, TX, September 30 - October 1. pp 81-86.

Annable, M.D., P.S.C. Rao, R.K. Sillan, K. Hatfield, W.D. Graham, A.L. Wood and C.G. Enfield. (1996). "Field-Scale Application of In-Situ Cosolvent Flushing: Evaluation Approach." In: Proceedings Non-Aqueous Phase Liquids (NAPLs) in Subsurface Environment: Assessment and Remediation, ASCE Specialty Conference Proceedings, New York, NY. pp. 212-220. L. Reddi (Ed).

Enfield, C.G. and A.L. Wood. (1999). "Evaluation of Alternatives for Source Zone Remediation of a Contaminated Aquifer." In: Proceedings Contaminated Site Remediation Conference: Challenges Posed by Urban & Industrial Contaminants, Centre for Groundwater Studies, CSIRO Land and Water, Fremantle, Western Australia, March 21-25. C.D. Johnston (Editor),

Enfield, C.G. (2000). "Tracers Forecast the Performance of NAPL Remediation Projects." In: Proceedings Groundwater 2000, International Conference on Groundwater Research, A.A. Balkema, Copenhagen, Denmark. pp. 25-26. P.L. Bjerg, P. Engesgaard and T.D. Krom (Editors).

Enfield, C.G., and B.K. Lien. (2000). "Application of Screening Level Models to Ecosystem Monitoring." In: Proceedings Contaminated Site Remediation: From Source Zones to Ecosystems, Center for Grandwater Studies, Melbourne, Victoria, Australia. C.D. Johnston, Editor.

Enfield, C.G., A.L. Wood, M.C. Brooks and M.D. Annable. (2002). "Interpreting Tracer Data to Forecast Remedial Performance." In: Proceedings Groundwater Quality: Natural and Enhanced Restoration of Groundwater Pollution. S. Thornton and S. Oswald (Eds.) IAHS Publication No. 275. pp 11-16.

Falta, R.W., S.E. Brame, C.M. Lee, J.T. Coates, C. Wright, S. Price, P. Haskell and E. Roeder. (1996). "A Field Test of NAPL Removal by High Molecular Weight Alcohol Injection." In: Proceedings Non-Aqueous Phase Liquids (NAPLs) in Subsurface Environment: Assessment and Remediation, ASCE, Washington, D.C. pp. 257-268. L.N. Reddi (Ed)

Falta, R.W., C.M. Lee, S.E. Brame, E. Roeder and C.W. Wright. (1998). "Field Study of LNAPL Remediation by In-Situ Cosolvent Flooding." In: Proceedings Nonaqueous Phases Liquids, Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and R.E. Hincsee (Eds), Battelle Press, Columbus, Ohio. C2:205-210.

Falta, R.W. and E. Roeder. (1998). "Numerical Modeling of Multicomponent Cosolvent Flooding for DNAPL Remediation." In: Proceedings Nonaqueous Phases Liquids, Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and R.E. Hincsee (Eds). Battelle Press, Columbus, Ohio. C2:85-90.

Fishman, M., J. Guarnaccia, C. Enfield, L. Wood (1998). "DNAPL infiltration and distribution in subsurface: 2D experiment and modeling approach." In: Proceedings Nonaqueous-Phase Liquids: Remediation of Chlorinated and Recalcitrant Compounds. (G.B. Wickramanayake and R.E. Hincsee, Eds.) Battelle Press, Columbus, OH. pp. C2: 37-42.

Fishman, M., J. Guarnaccia, L. Wood, C. Enfield (2000). "Simulation of DNAPL distribution resulting from multiple sources." In: Proceedings Treating Dense Nonaqueous-Phase Liquids (DNAPLs): Remediation of Chlorinated and Recalcitrant Compounds. (G.B. Wickramanayake and A.R. Gavaskar, Eds.) Battelle Press, Columbus, OH. pp. C2-2:101-108.

Gierke, J.S., C.L. Wojick and N.J. Hutzler. (1999). "Field Test of Air Sparging Coupled with Soil Vapor Extraction." In: Proceedings Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies, ACS Symposium Series 725. American Chemical Society, Washington, D.C. M. L. Brusseau, D. A. Sabatini, J. S. Gierke and M. D. Annable (Eds.), pp. 153-166.

Harwell, J. H., Knox, R. C. and Sabatini, D. A. (1998). Surfactants in Environmental Remediation: Aquifer Restoration. In New Products and Applications in Surfactant Technology. D. Karsa, (Ed.), Sheffield Academic Press, Sheffield, England. pp. 30-58.

Hasegawa, M.A., B.J. Shiao, D.A. Sabatini, R.C. Knox, J.H. Harwell, R. Lago and L. Yeh. (2000). "Surfactant-Enhanced Subsurface Remediation of DNAPLs at the Former Naval Air Station, Alameda, CA." In: Proceedings Treating Dense Nonaqueous-Phase Liquids (DNAPLs), G. B. Wickramanayake, A.R. Gavaskar and N. Gupta, (Eds.) Battelle Press, Columbus, OH C2:219-226,

Heron, G., T.H. Christensen, M. van Zutphen, C.G. Enfield. (1998). "Soil heating for remediation of dissolved trichloroethylene in low-permeable soil." In: Proceedings Physical, Chemical and Thermal Technologies: Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and A.R. Gavaskar, Eds., Battelle Press, Columbus, OH. pp. C5:37-42.

Heron, G.T. Heron, C.G. Enfield. (2000). "Improving Air Sparging Systems by Pulsed Operation." In: Proceedings Physical and Thermal Technologies: Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and A.R. Gavaskar, Eds., Battelle Press, Columbus, OH. pp. C2:61-66.

Holder, A.W.; P.B. Bedient and B.C. Hoblit. (1998). "A Method for Analysis and Visualization of Three-Dimensional Tracer Test Results." In: Proceedings Groundwater Quality: Remediation and Protection. IAHS Publication No. 250. pp. 415-417.

Jawitz, J.W., R.K. Sillan and M.D. Annable. (1997). "Methods for Determining NAPL Source Zone Remediation Efficiency of In-Situ Flushing Technologies." In: Proceedings ASCE In-Situ Remediation of the Geoenvironment Conference, October, Minneapolis, MN. Geotechnical Special Publication No. 17, pp. 271-283.

Jawitz, J.W., M.D. Annable and P.S.C. Rao. (1998). "Characterizing the Spatial Distribution of Non-Aqueous Phase Contaminant Using Partitioning Tracers and the Method of Moments." In: Proceedings Groundwater Quality: Remediation and Protection. M. Herbert and K. Kovar, IAHS Publication No. 250: 422-425.

Jawitz, J.W., M.D. Annable, R.K. Sillan and P.S.C. Rao. (1999). "In situ flushing for remediation of aquifer contaminant source zones: Evaluating performance using a control plane approach." In: Proceedings Contaminated Site Remediation Conference: Challenges Posed by Urban & Industrial Contaminants, Centre for Groundwater Studies, CSIRO Land and Water, Fremantle, Western Australia, March 21-25. C.D. Johnston (Editor), pp. 455-462.

Jeong, S.W., A.L. Wood and T.R. Lee. (2002). "Concurrent injection of cosolvent and air for enhanced PCE removal." In: Proceedings Remediation of Chlorinated and Recalcitrant Compounds – 2002. Proceedings of the Third International Conference on Remediation of Chlorinated and Recalcitrant Compounds. A.R. Gavaskar and A.S.C. Chen (Eds.). Battelle Press, Columbus, OH. Paper 2C-30.

Knox, R.C., D.A. Sabatini, M. Goodspeed, M. Hasegawa, L. Chen. (1998). "Hydraulic Considerations for Advanced Subsurface Characterization and Remediation Technologies." In: Proceedings Groundwater Quality: Remediation and Protection. M. Herbert and K. Kovar (Eds.). IAHS Publication No. 250, pp. 391-399.

Lee, T.R.; A.L. Wood and S.W. Jeong. (2002). "Partitioning Interwell Tracer Test for NAPL Source Characterization: A General Overview." In: Proceedings Spring Conference of the Korean Society of Soil and Groundwater Environment, Seoul, Korea.

Mravik, S.C., G.W. Sewell, and A.L. Wood. (2000). "Co-solvent-based Source Remediation Approaches." In: Proceedings Physical and Thermal Technologies: Remediation of Chlorinated and Recalcitrant Compounds G.B. Wickramanayake and A.R. Gavaskar, Eds., Battelle Press, Columbus, OH. pp. C2:269-276.

Payne, T., J. Brannan, R.W. Falta and J. Rossabi. (1998). "Detection Limit Effects on Interpretation of NAPL Partitioning Tracer Tests." In: Proceedings Nonaqueous Phases Liquids, Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and R. E. Hincbee (Eds). Battelle Press, Columbus, Ohio. C2:125-130.

Rao, P.S.C., M.D. Annable, H. Kim, and K.P. Saripalli. (1998). "Tracer Techniques for Site Characterization and Remediation Technology Performance Assessment: Recent Developments and Applications." In: Proceedings Groundwater Quality: Remediation and Protection. IAHS Publication No. 250. pp. 353-360.

Rao, P.S.C., J.W. Jawitz, C.G. Enfield, M.D. Annable and A.L. Wood (2002). "Technology Integration for Contaminated Site Remediation: Cleanup Goals and Performance Criteria." In: Proceedings Ground Water Quality 2001, Third International Conference, University of Sheffield, UK. June 18-21. Edited by S. Thornton and S. Oswald. IAHS Publication, pp. 410-412.

Roeder, E. and R.W. Falta. (1998). "Phase Density Reversal During Horizontal Cosolvent Flooding of Tetrachloroethylene." In: Proceedings Nonaqueous Phase Liquids, Remediation of Chlorinated and Recalcitrant Compounds. G.B. Wickramanayake and R. E. Hinchee (Eds). Battelle Press, Columbus OH. C2:67-72.

Roeder, E., S.E. Brame and R.W. Falta. (1996). "Swelling of DNAPL by Cosolvent Flooding to Allow Its Removal as an LNAPL." In: Proceedings Non-Aqueous Phase Liquids (NAPLs) in Subsurface Environment: Assessment and Remediation, Specialty Conference Proceedings. ASCE, New York, NY. L.N. Reddi (Ed). ASCE, pp. 333-344.

Sabatini, D.A., R.C. Knox, J.H. Harwell. (1998). "Surfactant Selection for Enhanced Contaminant Extraction." In: Proceedings Groundwater Quality: Remediation and Protection. M. Herbert and K. Kovar (Eds.), IAHS Publication No. 250, pp. 361-366.

Sillan, R.K., J.W. Jawitz, M.D. Annable and P.S.C. Rao. (1998). "Influence of Hydrodynamic and Contaminant Spatial Variability on In-Situ Flushing Effectiveness." In: Proceedings Groundwater Quality, Remediation and Protection. M. Herbert and K. Kovar, IAHS Publication No. 250: 407-414.

Van Zutphen, M., G. Heron, C.G. Enfield, and T.H. Christensen. (1998). "Resistive heating enhanced soil vapor extraction of chlorinated solvents from trichloroethylene contaminated silty, low permeable soil." In: Proceedings Contaminated Soil, Thomas Telford, London. pp. 561-570.

Wood, A.L., T.R. Lee, C.G. Enfield, M.C. Brooks and T.J. McHale. (2002). "Field evaluation of DNAPL extraction technologies: Project overview." In: Proceedings 3<sup>rd</sup> International Conference on Remediation of Chlorinated and Recalcitrant Compounds – 2002. A.R. Gavaskar and A.S.C. Chen (Eds.), Battelle Press, Columbus, OH. Paper 2F-11.

Wright, C., C.M. Lee, J.T. Coates and R.W. Falta. (1996). "Investigation of Interwell Tracer Tests Used With Cosolvent Flooding." In: Proceedings ASCE Specialty Conference - Non-Aqueous Phase Liquids (NAPLs) in Subsurface Environment: Assessment and Remediation. L. N. Reddi (Ed), ASCE, New York, NY. pp. 151-162.

Wu, B., H. Cheng, J. Childs, J. and D.A. Sabatini, (2001). "Surfactant-Enhanced Removal of Hydrophobic Oils From Source Zones." In: Proceedings Physicochemical Groundwater Remediation. J. A. Smith and S. E. Burns, (Eds.), Kluwer Publishing, NY. pp. 245-269.

### Book Chapters

Annable, M.D., J.W., Jawitz, R.K. Sillan and P.S.C. Rao. (1999). "In-situ solubilization by cosolvent and surfactant-cosolvent mixtures." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M.L. Brusseau, D. Sabatini, J. Gierke and M.D. Annable. American Chemical Society Symposium Series no. 725., Washington, D.C., pp. 86-101.

Augustijn, D.C.M., L.S. Lee, R.E. Jessup, P.S.C. Rao, M.D. Annable and A.L. Wood. (1997). "Remediation of Soils and Aquifers Contaminated with Hydrophobic Organic Chemicals: Theoretical Basis for the Use of Cosolvents." In: *Subsurface Restoration*. Edited by C.H. Ward, J.A. Cherry and M.R. Scaif. Ann Arbor Press, Inc., Chelsea, MI., pp. 231-250.

Bedient, P.B., A.W. Holder, C.G. Enfield and A.L. Wood. (1999). "Enhanced Remediation Demonstration at Hill Air Force Base: Introduction." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M.L. Brusseau, D.A. Sabatini, J.S. Gierke and M.D. Annable. ACS Symposium Series 725, Washington, D.C., pp. 36-48.

Blanford, W.J., E.J. Klingel, G.R. Johnson, R.B. Cain, C. Enfield and M.L. Brusseau. (1999). "Performance Assessment of In-Well Aeration for the Remediation of an Aquifer Contaminated by a Multi-Component Immiscible Liquid." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. Brusseau, D. Sabatini, J. Gierke and M. Annable. ACS Symposium Series 725, American Chemical Society, Washington, D.C., pp. 167-181.

Brusseau, M.L., J.J. Piatt, J.M. Wang and M.Q. Hu. (1999). "A Biotracer Test for Characterizing the In-Situ Biodegradation Potential Associated with Subsurface Systems." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by D. Sabatini, M.D. Annable, M. Brusseau and J. Gierke. ACS Symposium Series 725, American Chemical Society, Washington, D.C., pp. 240-250.

Brusseau, M.L., Q. Hu, N.T. Nelson, and R. Brent Cain. (1999). "A Diffusive Tracer Test Method for Investigating the Influence of Mass Transfer Processes on Field-Scale Solute Transport." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by D. Sabatini, M.D. Annable, M. Brusseau and J. Gierke. ACS Symposium Series 725, American Chemical Society, Washington, D.C., pp. 251-264.

Brusseau, M.L., J.E. McCray, G.R. Johnson, X. Wang, A.L. Wood and C. Enfield. (1999). "Field Test of Cyclodextrin for Enhanced In-Situ Flushing of Multi-component Immiscible Organic Liquid Contamination: Project Overview and Initial Results." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. Brusseau, D. Sabatini, J. Gierke and M. Annable. ACS Symposium Series 725., American Chemical Society, Washington, D.C., pp. 118-135.

Brusseau, M.L., N.T. Nelson, and R. Brent Cain. (1999). "The Partitioning Tracer Method for In-Situ Detection and Quantification of Immiscible Liquids in the Subsurface." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by D. Sabatini, M.D. Annable, M. Brusseau and J. Gierke. ACS Symposium Series 725, American Chemical Society, Washington, D.C., pp. 208-225.

Brusseau, M.L., J.S. Gierke, and D.A. Sabatini. (1999). "Field Demonstrations of Innovative Subsurface Remediation and Characterization Technologies: Introduction." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by D. Sabatini, M.D. Annable, M. Brusseau and J. Gierke. ACS Symposium Series 725, American Chemical Society, Washington, D.C., pp. 2-5.

El-Beshry, Manar Z., John H. Gierke and Philip Bedient (2000). "Modeling the Performance of an SVE Field Test." In: *Vadose Zone Science and Technology Solutions*. Edited by B.B. Looney and R.W. Falta. Battelle Press, Columbus, OH., Vol. II. pp. 1157-1169.

Enfield, C.G., B.K. Lien and A.L. Wood. (2001). "Effect of Non-Target Organics on Organic Chemical Transport." In: *Humic Substances and Chemical Contaminants*. Edited by C.E. Clapp, M.H.B. Hayes, N. Senesi, P.R. Bloom and P.M. Jardine. Soil Science of America, pp. 471-487.

Falta, R.W., C.M. Lee, S.E. Brame, L. Wood and C. Enfield. (1999). "Design and Performance of a Field Cosolvent Flooding Test for Nonaqueous Phase Liquid Mobilization." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. Brusseau, D.A. Sabatini, J. S. Gierke and M.D. Annable. ACS Symposium Series 725, American Chemical Society. Washington, D.C. pp.102-117.

Gierke, J.S., C.L. Wojick and N.J. Hutzler. (1999). "Field Test of Air Sparging Coupled with Soil Vapor Extraction." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. Brusseau, D. A. Sabatini, J.S. Gierke and M.D. Annable. ACS Symposium Series 725, American Chemical Society. Washington, D.C., pp.153-166.

Knox, R.C., B.J. Shiau, D.A. Sabatini and J.H. Harwell. (1999). "Field Demonstration Studies of Surfactant-Enhanced Solubilization and Mobilization at Hill Air Force Base, Utah." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. L. Brusseau, D. A. Sabatini, J. S. Gierke and M. D. Annable. ACS Symposium Series 725, American Chemical Society, Washington D.C. pp. 49-63.

McCray, J. E., K. Bryan, R.B. Cain, G.R. Johnson, W.J. Blanford and M.L. Brusseau. (1999). "Field Test of Cyclodextrin for Enhanced In-Situ Flushing of Multi-component Immiscible Organic Liquid Contamination: Comparison to Water Flushing." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M. Brusseau, D. Sabatini, J. Gierke and M. Annable. ACS Symposium Series 725., American Chemical Society, Washington, D.C. pp. 136-152.

Sabatini, D.A., R.C. Knox, J.H. Harwell and B.J. Shiau. (1998). "Surfactant-Enhanced NAPL Remediation: From the Laboratory to the Field." In: *Soil and Aquifer Pollution: Non-Aqueous Phase Liquids - Contamination and Reclamation*. Edited by H. Rubin, N. Narkis and J. Carberry. Springer-Verlag Berlin Heidelberg, pp. 373-391.

Sabatini, D.A., Harwell, J.H., and R.C. Knox. (1999). "Surfactant Selection Criteria for Enhanced Subsurface Remediation." In: *Innovative Subsurface Remediation: Field Testing of Physical, Chemical, and Characterization Technologies*. Edited by M.L. Brusseau, D.A. Sabatini, J.S. Gierke and M.D. Annable. ACS Symposium Series 725, American Chemical Society, Washington D.C. pp. 8-23.